



# Mobil 1™ and Mobil Super™

## Specifications

**Mobil™**

The information contained herein is correct on the date of edition and is subject to change without notice.

Mobil 1 and Mobil Super are trademarks or registered trademarks of Exxon Mobil Corporation or one of its subsidiaries. Other trademarks shown are property of their respective owners.

© 2020 Exxon Mobil Corporation

# Mobil 1™ & Mobil Super™ brand offer

The Mobil 1 logo features the word "Mobil" in blue and "1" in white on a black square background.

## **Mobil 1 – A passion for the best!**

Mobil 1 stands for expertise, innovation, and a passion for performance

Mobil's leading brand for engine oils

**Targets flagship market**

**Delivers  
performance**

The Mobil Super logo features the word "Mobil" in blue and "Super" in blue with a red underline.

## **Mobil Super – Protects what you love, always!**

Mobil Super is a brand that protects what you love, your engine, your car, as well as your loved ones sitting inside the vehicle




Mobil's premium brand for engine oils

**Targets heart of the market**

**Delivers  
effectiveness /  
protection**

# Mobil 1™ brand offer

3 sub-series to match the needs of the European carpark

	<p><b>Mobil 1 FS</b></p>	<p>Full SAPS oils for gasoline &amp; diesel cars (without ATS)</p> <p>1<sup>st</sup> gen. introduced in 2015</p>	<p>Provides improved protection against severe operating conditions / variable fuel quality (e.g. de-regulated markets with high S content in fuel)</p>	<p>Covers a wide breadth of EU OEM approvals and industry performance specifications (ACEA, API)</p>
	<p><b>Mobil 1 ESP</b></p>	<p>Low/Mid SAPS oils for newer gasoline &amp; diesel cars (EURO 6 models with ATS)</p> <p>1<sup>st</sup> gen. introduced in 2004</p>	<p>Provides critical protection of emission systems while still carrying a wide variety of high performance claims (e.g. excellent engine cleanliness and wear protection...)</p>	<p>Oil series based on European platform. Meets the latest and highest industry (ACEA) and OEMs performance levels</p>
	<p><b>Mobil 1 (GF-6)</b></p>	<p>Engine oils for modern American and Asian gasoline powered cars</p>	<p>Specifically designed to address challenges with modern downsized gasoline engines. Provides compatibility with catalysts and improved protection against LSPI</p>	<p>Covers a wide breadth of US and AP OEM approvals and industry performance specifications (API, ILSAC)</p>

FS: Full SAPS ESP: Exhaust System Protection SAPS: Sphated Ash, Phosphorus, Sulfur ATS: exhaust gas After-Treatment System OEM: Original Equipment manufacturer





Mobil 1 FS

Mobil 1 ESP

Mobil 1 (GF)



	Mobil 1™ FS 0W-40	Mobil 1™ FS x2 5W-50	Mobil 1™ 10W-60	Mobil 1™ ESP x2 0W-20	Mobil 1™ ESP LV 0W-30	Mobil 1™ ESP 0W-30	Mobil 1™ ESP 5W-30	Mobil 1™ ESP Formula P 5W-30	Mobil 1™ ESP x3 0W-40	Mobil 1™ 0W-20	Mobil 1™ x1 5W-30
<b>ACEA</b> Nissan, Kia, ...	A3/B3 (2) A3/B4 (2)	A3/B3 (2) A3/B4 (2)	A3/B3 (2) A3/B4 (2)	C5 (2), C6 (2)	C2 (2) A5/B5 (2)	C3 (2), C2 (3)	C3 (2), C2 (3)	C3 (2), C2 (2)	C3 (2)	C5 (2)	A5/B5 (2), C2 (2)
<b>API, ILSAC</b> Toyota, Suzuki, ...	SP(2), SN Plus, SN (2), SM (2), CF (3)	SP(2), SN Plus, SN (2), SM (2), CF (3)	SN (2), SM (2) CF (3)	SP (4), SN Plus (4) SN (4), SL (2)	SN (4), SL (2)	SP (4), SN Plus (4), SN (4), SL (2)	SP (2), SN Plus (2), SN (2)	SN (2), SM (2) CF (3)	SN Plus (2), SN (2), CF (3)	SP Res.Cons. (2), SP (2), SN Plus (2), GF- 6A (2)	SP Res.Cons., SP, SN Plus Res.Cons. (2), GF-6A (2)
<b>Stellantis</b> Peugeot, Citroën, Opel, Vauxhall, Fiat, Chrysler	Fiat 9.55535-M2 (2)	Fiat 9.55535-M2 (3)					OV 040 154 - G30 (1) OV 040 154 - D30 (1) Fiat 9.55535-S3 (3)	PSA B71 2290 (1) PSA B71 2297 (1)	Fiat 9.55535-S2 (2)	Fiat 9,55535-CR1(3) Chrysler MS-6395 (3)	Fiat 9,55535-CR1 (3) Chrysler MS-13340 (2) Chrysler MS-6395 (2)
<b>Volkswagen Group</b> VW, Audi, SEAT, Škoda, Bentley, Bugatti, Lamborg.	502 00 (1) 505 00 (1) 503 01 (3)		501 01 (1) 505 00 (1)	508 00 (1) 509 00 (1)		504 00 (1) 507 00 (1)	504 00 (1) 507 00 (1)		511 00 (1)		
<b>Ford</b>	WSS-M2C937-A (2)				WSS-M2C920-A (3)					WSS-M2C947-A(3) WSS-M2C947-B1(3) WSS-M2C962-A1(2)	WSS-M2C929-A (3) WSS-M2C946-A / B1 (3) WSS-M2C961-A1(2)
<b>GM</b> Chevrolet, Cadillac, Buick..				dexosD™ (1)				dexos2™ (1)	dexos2™ (1)	dexos1™ Gen 3 (1) 6094M (3)	dexos1™ Gen 3 (1) 4718M (3), 6094M (3)
<b>BMW Group</b> BMW, Rolls Royce, Mini	Longlife-04 (1)				Longlife-12FE (1)		Longlife-04 (1)				
<b>Mercedes-Benz</b> MB, Smart	229.3 (1) 229.5 (1)	229.3 (1)	229.1 (3)	229.71 (1)	229.61 (1)	229.31 (1) 229.51 (1) 229.52 (1)	229.31 (1) 229.51 (1) 229.52 (1)	229.31 (1) 229.51 (1) 229.52 (1)	229.51 (1) 229.52 (1)		
<b>Porsche</b>	A40 (1)	A40 (1)		C20 (1)		C30 (1)	C30 (1)		C40 (1)		
<b>Volvo, Nissan, Honda/Acura</b>	Nissan Genuine Performance (1)				VCC 95200377(1)						Honda HTO-06 (1)

SAPS: Sulfated Ash-Phosphorus-Sulfur; FS: Full (conventional) SAPS; ESP: Exhaust System Protection (mid SAPS)
















(1) Builder approvals (2) Meets or exceeds the requirements (3) Recommended for the following applications (4) Meets the engine test requirements

The information contained herein applies to the products made on the date of edition and is subject to change without notice. All products may not be available locally. For up-to-date information, contact your local ExxonMobil representative/ THD or refer to online PDS. Mobil 1 and Mobil Super are trademarks or registered trademarks of Exxon Mobil Corporation or one of its subsidiaries. Other trademarks shown are property of their respective owners. © 2020 Exxon Mobil Corporation



# Mobil Super™ premium Engine oils

## Mid SAPS Formula

															
	Mobil Super 3000 Formula OV 0W-20	Mobil Super 3000 Formula V 0W-20	Mobil Super 3000 Formula VC 0W-20	Mobil Super 3000 Formula V 0W-30	Mobil Super 3000 Formula P 0W-30	Mobil Super 3000 Formula F 0W-30	Mobil Super 3000 Formula F 5W-20	Mobil Super 3000 Formula 5W-30	Mobil Super 3000 Formula P 5W-30	Mobil Super 3000 Formula R 5W-30	Mobil Super 3000 Formula V 5W-30	Mobil Super 3000 Formula RN 5W-30	Mobil Super 3000 XE 5W-30	Mobil Super 3000 XE1 5W-30	Mobil Super 3000 XE1 5W-40
<b>ACEA</b> Nissan, Kia, ...	C5 (2)	C5 (2)	C5 (2)	C3 (2)	C2 (2)	C2 (2), A5/B5 (2)	C5 (2)	C1 (2)	C2 (2)	C4 (2)	C3 (2)	C3 (2)	C3 (2)	C3 (2)	C3 (2)
<b>API</b> Toyota, Suzuki, ...	SP (2), SN Plus (2), SN (2), SM (2)	SN Plus (2), SN (2), SM (2)					SN (2)				SN (2)		SN (2), SM (2), CF (3)	SN Plus (2), SN (2), SM (2)	SN (2), SM (2), CF (3)
<b>Renault, Dacia</b>										RN0720 (1)		RN17 (1)			
<b>Stellantis</b> Peugeot, Citroën, Opel, Vauxhall, Fiat, Chrysler	OV 040 1547 – A20 (1)				B71 2312 (1) B71 2302 (1) Fiat 9.55535-GS1 (2)				B71 2290 (1) Fiat 9.55535-S1 (2)	Fiat 9.55535-S4 (3)			LL-A-025 (3), LL-B-025 (3)		Fiat 9.55535-S2 (3)
<b>Volkswagen</b> VW, Audi, SEAT...		508 00 (1) 509 00 (1)		504 00 (1) 507 00 (1)							504 00 (1) 507 00 (1)		505 00 (1) 505 01 (1)		505 00 (1) 505 01 (1)
<b>Ford (WSS-...)</b>	M2C952-A (2)					M2C950-A (2)	M2C948-B (2)	M2C934-B (2)						M2C917-A (3)	
<b>GM</b> Chev., Cadil.	dexosD™ (1)													dexos2™ (1)	dexos2™ (1)
<b>BMW</b>													Longlife-04 (1) Longlife-01 (3)		Longlife-04 (1) Longlife-01 (3)
<b>Mercedes-Benz</b>	229.71 (1)									226.51 (1)	229.31 (1) 229.51 (1)	226.52 (1)	229.31 (1) 229.51 (1) 229.52 (1)	229.31 (1) 229.51 (1) 229.52 (1)	
<b>Porsche</b>		C20 (1)		C30 (1)								C30 (1)			A40 (1)
<b>Jaguar Land Rover</b>	STJLR. 03.5006 (1)					STJLR. 03.5007 (1)		STJLR. 03.5005 (1)							
<b>Volvo</b>			RBSO-2AE (1)												

SAPS: Sulfated Ash-Phosphorus-Sulfur; 1) Builder approvals 2) Meets or exceeds the requirements 3) Recommended for the following applications 4) Meets the engine test requirements  
 The information contained herein is subject to change without notice. All products may not be available locally. For up-to-date information, contact your local ExxonMobil representative/ THD or refer to online PDS.  
 Mobil 1 and Mobil Super are trademarks or registered trademarks of Exxon Mobil Corporation or one of its subsidiaries. Other trademarks shown are property of their respective owners. © 2020 Exxon Mobil Corporation

# Mobil Super™ premium engine oils

## Conventional SAPS Formula

## GF-6 Formula

											
	Mobil Super 3000 Formula VC 0W-30	Mobil Super 3000 x1 Formula FE 5W-30	Mobil Super 3000 Formula M 5W-30	Mobil Super 2000 x1 5W-30	Mobil Super 3000 x1 5W-40	Mobil Super 2000 Formula P 10W-40	Mobil Super 2000 x1 10W-40	Mobil Super 1000 x1 15W-40	Mobil Super 3000 0W-16	Mobil Super 3000 0W-20	Mobil Super 3000 Formula D1 5W-30
<b>ACEA</b> Nissan, Kia, ...	A5/B5 <sup>(2)</sup> A7/B7 <sup>(2)</sup>	A5/B5 <sup>(2)</sup>	A3/B3 <sup>(2)</sup> A3/B4 <sup>(2)</sup>	A3/B3 <sup>(2)</sup> A3/B4 <sup>(2)</sup>	A3/B3 <sup>(2)</sup> A3/B4 <sup>(2)</sup>	A3/B3 <sup>(2)</sup> A3/B4 <sup>(2)</sup>	A3/B3 <sup>(2)</sup>	A3/B3 <sup>(2)</sup>	A3/B3 <sup>(2)</sup>		
<b>API, ILSAC</b> Toyota, Suzuki, ...	SP, SN Plus, SN, SM, SL <sup>(2)</sup>	SP, SN Plus, SN <sup>(4)</sup> , SL <sup>(2)</sup> CF <sup>(3)</sup>		SL <sup>(2)</sup> , SJ <sup>(2)</sup> CF <sup>(3)</sup>	SN, SM <sup>(2)</sup> CF <sup>(3)</sup>	SN Plus <sup>(2)</sup> , SN <sup>(2)</sup> CF <sup>(3)</sup>	SN Plus <sup>(2)</sup> , SN <sup>(2)</sup> CF <sup>(3)</sup>	SN Plus <sup>(2)</sup> , SN <sup>(2)</sup> CF <sup>(3)</sup>	SP Res. Con. <sup>(2)</sup> SP <sup>(2)</sup> , SN Plus <sup>(2)</sup> , GF-6B <sup>(2)</sup>	SP Res. Cons. <sup>(2)</sup> SP <sup>(2)</sup> , SN Plus <sup>(2)</sup> GF-6A <sup>(3)</sup>	SP Res. Cons. <sup>(2)</sup> , SP <sup>(2)</sup> SN Plus Res. Con. <sup>(2)</sup> GF-6A <sup>(2)</sup>
<b>Renault, Dacia</b>					RN 0710 <sup>(1)</sup> RN 0700 <sup>(1)</sup>						
<b>Stellantis</b> Peugeot, Citroën, Opel, Vauxhall, Fiat, Chrysler					B71 2296 <sup>(1)</sup> Fiat 9,55535-M2 <sup>(2)</sup>	B71 2300 <sup>(1)</sup>					MS-6395 <sup>(2)</sup> Fiat 9.55535-CR1 <sup>(2)</sup>
<b>Volkswagen group</b> VW, Audi, SEAT, Škoda...				502 00 <sup>(1)</sup> 505 00 <sup>(1)</sup>	502 00 <sup>(1)</sup> 505 00 <sup>(1)</sup>	501 01 <sup>(1)</sup> 505 00 <sup>(1)</sup>	501 01 <sup>(1)</sup> 505 00 <sup>(1)</sup>	501 01 <sup>(1)</sup> 505 00 <sup>(1)</sup>			
<b>Ford</b> (WSS-...)		M2C913-D <sup>(22)</sup>								M2C947-A <sup>(2)</sup> M2C947-B1 <sup>(2)</sup> M2C962-A1 <sup>(2)</sup>	M2C929-A <sup>(3)</sup> M2C946-A/B1 <sup>(2)</sup> M2C961-A1 <sup>(2)</sup>
<b>GM</b> Chevrolet, Cadillac ...					LL-B-025 <sup>(3)</sup>						dexos1™ Gen 3 <sup>(1)</sup> 6094M <sup>(3)</sup>
<b>Mercedes-Benz</b>			229.3 <sup>(1)</sup> 229.5 <sup>(1)</sup>	229.1 <sup>(3)</sup>	229.3 <sup>(1)</sup>	229.1 <sup>(3)</sup>	229.1 <sup>(3)</sup>	229.1 <sup>(3)</sup>			
<b>Porsche</b>					A40 <sup>(1)</sup>						
<b>Jaguar - Land Rover</b>		STJLR.03.5003 <sup>(3)</sup>									
<b>Volvo</b>	VCC 95200377 <sup>(1)</sup>										

SAPS: Sulfated Ash-Phosphorus-Sulfur; 1) Builder approvals 2) Meets or exceeds the requirements 3) Recommended for the following applications 4) Meets the engine test requirements  
The information contained herein is subject to change without notice. All products may not be available locally. For up-to-date information, contact your local ExxonMobil representative/ THD or refer to online PDS.  
Mobil 1 and Mobil Super are trademarks or registered trademarks of Exxon Mobil Corporation or one of its subsidiaries. Other trademarks shown are property of their respective owners. © 2020 Exxon Mobil Corporation



Mobil 1™

Mobil Super™